

## ***Helicobacter pylori* Ab-1**

### Rabbit Polyclonal Antibody

Cat. #RB-1875-P0, -P1, or -P (0.1ml, 0.5ml, or 1.0ml at 1.0mg/ml) (Purified Ab with BSA and Azide)

Cat. #RB-1875-P1ABX or -PABX (0.5ml or 1.0ml at 1.0mg/ml) (Purified Ab without BSA and Azide)

Cat. #RB-1875-R7 (7.0ml) (Ready-to-Use for Immunohistochemical Staining)

Please note this data sheet has been changed effective December 12, 2011

**Description:** *Helicobacter pylori* is known to cause peptic ulcers and chronic gastritis in human. It is associated with duodenal ulcers and may be involved in development of adenocarcinoma and low grade lymphoma of mucosa associated lymphoid tissue in the stomach.

**Epitope:** Not determined

**Species Reactivity:** *Helicobacter pylori*

**Immunogen:** Total lysate of *Helicobacter pylori*.

### **Applications and Suggested Dilutions:**

- Immunohistology (Formalin/paraffin)  
(Ab 1:500 to 1:1000 for 30 min at RT)
- \* [Staining of formalin-fixed tissues REQUIRES boiling tissue sections in 10mM citrate buffer, pH 6.0, (**NEOMARKERS'** Cat. #AP-9003), for 10-20 min followed by cooling at RT for 20 min.]

The optimal dilution for a specific application should be determined by the investigator.


**Positive Control:** *Helicobacter pylori* infected tissue

### **Storage and Stability:**

Ab with sodium azide is stable for 24 months when stored at 2-8°C. Antibody WITHOUT sodium azide is stable for 36 months when stored at below 0°C.

### **Supplied As:**

Total IgG purified from rabbit anti-serum by Protein A chromatography. Prepared at 1mg/ml in 10mM PBS, pH 7.4, with 0.2% BSA & 0.09% sodium azide. Also available without BSA and azide at 1mg/ml, **or** Prediluted antibody which is ready-to-use for staining of formalin-fixed, paraffin-embedded tissues.



Human stomach infected with *H. pylori* and stained with anti-*H. pylori*, Cat# RB-1875. AEC chromagen.

### **Limitations and Warranty:**

Our products are intended FOR RESEARCH USE ONLY and are not approved for clinical diagnosis, drug use or therapeutic procedures. No products are to be construed as a recommendation for use in violation of any patents. We make no representations, warranties or assurances as to the accuracy or completeness of information provided on our data sheets and website. Our warranty is limited to the actual price paid for the product. NeoMarkers is not liable for any property damage, personal injury, time or effort or economic loss caused by our products.

### **Material Safety Data:**

This product is not licensed or approved for administration to humans or to animals other than the experimental animals. Standard Laboratory Practices should be followed when handling this material. The chemical, physical, and toxicological properties of this material have not been thoroughly investigated. Appropriate measures should be taken to avoid skin and eye contact, inhalation, and ingestion. The material contains 0.09% sodium azide as a preservative. Although the quantity of azide is very small, appropriate care should be taken when handling this material as indicated above. The National Institute of Occupational Safety and Health has issued a bulletin citing the potential explosion hazard due to the reaction of sodium azide with copper, lead, brass, or solder in the plumbing systems. Sodium azide forms hydrazoic acid in acidic conditions and should be discarded in a large volume of running water to avoid deposits forming in metal drainage pipes.

***For Research Use Only***



Lab Vision Corporation  
46360 Fremont Blvd.  
Fremont, CA 94538-6406, USA  
US Toll Free: 1 (800) 522-7270  
Phone: +1 (269) 544-5600  
Fax: 1 (269) 372-2674  
www.thermoscientific.com/labvision



Thermo Fisher Scientific  
Anatomical Pathology  
Tudor Road, Manor Park  
Runcorn, Cheshire WA7 1TA, UK  
Tel: +44 (0) 1928 534 050  
Fax: +44 (0) 1928 534 049  
sales.ap.uk@thermofisher.com